7 Tips to Prevent Falls and Injuries

Falls can result in serious injuries, fractures, and fear of further falls.



Eyesight

- Check your eyesight at least once a year.
- Avoid bifocal spectacles.



Exercise

 Regular exercise that targets strength and balance can prevent falls. For each type of exercise, do at least 3 times a week.



Bone Health

- Consume foods that are high in calcium and Vitamin D.
- Do regular weight bearing exercises.



• Look out for slippery

- Look out for slippery or uneven surfaces.
- Avoid multi-tasking and concentrate on walking.
- Sit near the exit door in buses or trains and avoid standing when vehicle is moving.



Common causes of falls:

- Poor balance
- Muscle weakness
 - Poor eyesight
- Medical illnesses such as stroke and arthritis
 - Medications that cause drowsiness or giddiness
 - High-risk behaviours



Walking Aids and Footwear

- Proper footwear provides stability when walking.
- Wear covered, nonslip shoes or sandals with back straps.
- Consult a physiotherapist for suitable walking aids.



Home environment

- Ensure that your house is free of clutter and loose wires.
- Ensure good lighting.
- Use non-slip mats.
- Install grab bars where required.



Giddiness

- Do not walk without support if you are giddy.
- Avoid prolonged standing.
- Get up from your bed or chair slowly.



Scan to read more

Contents by

Centre for Geriatric Medicine, Tan Tock Seng Hospital