

A Guide for Patients and Families

Care of Fungal Skin Infection of the Foot (Tinea Pedis)



What is Tinea Pedis?



Tinea pedis (also known as "Athlete's foot") is a common fungal skin infection that affects the feet. It commonly affects the soles of the feet, arches and also between the toes.

Fungal foot skin infection may cause



burning sensation



redness



stinging and/or itching



flaking of the skin in some people

In people with neuropathy, there may be little or no symptoms

What causes Tinea Pedis?



Walking barefooted typically in communal areas



Repetitive use of soiled / wet footwear and socks



Spread of fungal infection from other parts of your body including toenails



Sharing of nail trimming tools, towels, socks, or shoes with a person who has fungal skin and / or toenail infection

What can I do to prevent getting fungal skin infection?



Change socks daily or when wet (especially in people with excessive sweating).



Keep your feet clean and dry, especially between the toes, and before putting on your socks. Dab your feet dry especially in between your toes rather than rubbing them.



Use socks made from natural fibres e.g. cotton or absorbent material to improve wicking of sweat away from the body, especially if you have sweaty feet.



Use a separate towel for your feet and wash it regularly.





Wear protective footwear at communal or carpeted areas such as pools and hotel rooms.



Choose footwear made of breathable materials.



Have your diabetes under control to reduce the risk of developing fungal infection.

You can prevent its recurrence by the following measures:



Do not scratch affected skin. If you did touch the affected area, remember to wash your hands thoroughly as this can be spread from one part of your body or to another person by contact.



Do not share towels, socks, and shoes with another person.





Do air your shoes out regularly, especially if you work in a hot environment or have sweaty feet. In such cases, it will be recommended to alternate using different shoes.

What are the treatments available?

Your doctor commonly prescribes antifungal cream (for areas affecting the top or bottom of the foot) or powder (for areas in between the toes). You may consider purchasing these preparations such as antifungal cream or antifungal powder over the counter should you run out of supply.

If there are no improvement in two weeks, do consult your doctor for further assessment and treatment.



In certain cases especially if topical treatment is ineffective, your doctor may send off skin scraping to check the type of fungal infection.

In severe cases, or cases involving fungal toenail infection, or cases not responsive to topical treatment, your doctor may prescribe oral antifungal.

When should you seek medical treatment?

If the fungal foot skin infection spreads, does not improve with treatment, or becomes increasingly itchy, red, scaling, warm or painful to touch, you should seek medical treatment immediately.

Contributed by











